

## ZESTAWIENIE STALI ZBROJENIOWEJ

Projekt:

RAD

Element:

STROP D.K.=+18,83

Rysunek: BK.A.021.01.01A; BK.A.021.02.01A; BK.A.021.03.01A; BK.A.021.01.02A; BK.A.021.02.02A;  
BK.A.021.03.02A; BK.A.021.01.03A; BK.A.021.02.03A; BK.A.021.03.03A; BK.A.021.01.04A

Materiał: Stal B500B lub równowarta

POZ.	ILOŚĆ	Ø	DŁUGOŚĆ	ŚREDNICA PRĘTA W [mm] / DŁUGOŚĆ CAŁK. W [m]							
				8	10	12	14	16	20	25	
1	22	10	11,90		261,80						
2	11	10	10,45		114,95						
3	17	10	6,50		110,50						
4	19	10	6,25		118,75						
5	7	10	8,75		61,25						
6	63	10	11,35		715,05						
7	63	10	1,50		94,50						
8	10	10	9,20		92,00						
9	1117	12	1,35			1507,95					
10	823	12	1,40			1152,20					
11	7	10	3,50		24,50						
12	243	10	2,20		534,60						
13	224	12	1,30			291,20					
14	246	12	1,40			344,40					
15	8	10	2,75		22,00						
16	32	10	4,65		148,80						
17	198	10	2,90		574,20						
18	22	10	11,35		249,70						
19	2	10	8,45		16,90						
20	36	10	6,60		237,60						
21	13	10	6,15		79,95						
22	11	10	4,40		48,40						
23	13	10	9,45		122,85						
24	59	10	1,50		88,50						
25	13	10	9,05		117,65						
26	79	10	11,30		892,70						
27	19	10	10,65		202,35						
28	17	10	10,95		186,15						
29	11	10	9,40		103,40						
30	23	10	6,55		150,65						
31	7	10	6,80		47,60						
32	10	10	9,20		92,00						
33	7	10	8,15		57,05						
34	23	10	9,00		207,00						
35	11	10	6,15		67,65						
36	10	10	5,25		52,50						
37	8	10	5,00		40,00						

POZ.	ILOŚĆ	Ø	DŁUGOŚĆ	ŚREDNICA PRĘTA W [mm] / DŁUGOŚĆ CAŁK. W [m]							
					8	10	12	14	16	20	25
38	13	10	8,25			107,25					
39	6	10	4,80			28,80					
40	42	10	4,80			201,60					
41	10	10	6,65			66,50					
43	5	10	6,60			33,00					
44	53	10	8,20			434,60					
45	10	10	6,35			63,50					
46	9	10	8,70			78,30					
47	5	10	6,40			32,00					
48	24	10	8,85			212,40					
49	16	10	2,75			44,00					
50	13	10	2,95			38,35					
51	28	10	7,35			205,80					
52	13	10	5,35			69,55					
53	24	10	2,65			63,60					
54	14	10	3,90			54,60					
55	18	12	1,35				24,30				
56				!							
57				!							
58	11	10	10,60			116,60					
59	80	10	9,80			784,00					
60	71	10	6,35			450,85					
61	25	10	6,55			163,75					
62				!							
63	24	10	4,75			114,00					
64	50	10	2,15			107,50					
65	36	10	8,05			289,80					
66	11	10	5,60			61,60					
77	66	10	6,30			415,80					
79	21	10	5,85			122,85					
80	42	10	7,10			298,20					
81	17	10	7,25			123,25					
82	21	10	2,85			59,85					
83	83	10	6,60			547,80					
84	10	10	7,45			74,50					
85	10	10	8,20			82,00					
86	9	10	1,70			15,30					
87	46	10	6,50			299,00					
88	19	10	7,05			133,95					
89	14	10	5,50			77,00					
90	40	10	5,90			236,00					
91	46	10	8,05			370,30					
92	24	10	8,20			196,80					
93	11	10	8,35			91,85					
94	15	10	7,50			112,50					

POZ.	ILOŚĆ	Ø	DŁUGOŚĆ	ŚREDNICA PRĘTA W [mm] / DŁUGOŚĆ CAŁK. W [m]							
				8	10	12	14	16	20	25	
95	24	10	12,00		288,00						
96	40	10	7,10		284,00						
97	40	10	7,20		288,00						
98	41	10	7,05		289,05						
101	81	10	6,55		530,55						
102	81	10	8,85		716,85						
103	81	10	8,75		708,75						
104	13	10	12,00		156,00						
105	186	10	8,05		1497,30						
106	12	10	6,90		82,80						
107	186	10	6,35		1181,10						
108	13	10	2,35		30,55						
109	26	10	7,00		182,00						
111	145	16	12,00					1740,00			
112	49	10	12,00		588,00						
113	398	8	0,24	95,52							
114	56	8	0,26	14,56							
115	144	8	0,31	8,00							
116	654	8	1,33	869,82							
117	1002	8	1,31	1312,62							
118	46	8	1,37	63,02							
119	60	8	1,35	81,00							
120	414	8	1,47	608,58							
121	199	8	1,45	288,55							
122	22	10	7,25		159,50						
123	28	10	6,50		182,00						
124	19	10	6,20		117,80						
125	13	10	4,60		59,80						
126	124	10	7,10		880,40						
127	10	10	2,15		21,50						
128	124	10	5,75		713,00						
129	10	10	11,70		117,00						
130	192	12	3,70			710,40					
131	7	10	5,35		37,45						
132	11	10	11,35		124,85						
133	7	10	5,55		38,85						
134	22	10	6,90		151,80						
135	20	10	5,95		119,00						
136	11	10	6,35		69,85						
137	7	10	6,15		43,05						
138	20	10	9,70		194,00						
139	20	10	4,15		83,00						
140	13	10	9,05		117,65						
141	19	10	10,65		202,35						
142	7	10	9,50		66,50						
143	22	10	8,65		190,30						
144	11	10	9,35		102,85						

POZ.	ILOŚĆ	Ø	DŁUGOŚĆ	ŚREDNICA PRĘTA W [mm] / DŁUGOŚĆ CAŁK. W [m]							
				8	10	12	14	16	20	25	
145	17	10	10,95		186,15						
146	10	10	4,15		41,50						
147	10	10	9,70		97,00						
148	7	10	6,15		43,05						
149	10	10	12,00		120,00						
150	7	10	6,80		47,60						
151	22	10	9,85		216,70						
152	10	10	11,35		113,50						
153	20	10	5,95		119,00						
154	9	10	4,65		41,85						
155	40	10	9,10		364,00						
156	13	10	6,30		81,90						
157	6	10	11,45		68,70						
158	14	10	8,40		117,60						
159	10	10	7,65		76,50						
160	39	10	9,75		380,25						
161	24	10	8,70		208,80						
162	14	12	5,40			75,60					
163	24	12	4,15			99,60					
164	27	10	9,85		265,95						
165	24	10	7,85		188,40						
166	16	10	8,55		136,80						
167	50	10	4,50		225,00						
168	50	12	4,50			225,00					
169				!							
170	50	10	10,30		515,00						
171	50	10	6,65		332,50						
172	11	10	9,90		108,90						
176	90	10	9,85		886,50						
177	42	10	9,25		388,50						
178	6	10	6,10		36,60						
179	25	10	6,70		167,50						
180	37	10	6,45		238,65						
181	46	10	3,60		165,60						
182	10	10	7,45		74,50						
183	10	10	8,25		82,50						
184	11	10	1,70		18,70						
185	46	10	9,50		437,00						
186	17	10	7,05		119,85						
187	47	10	8,05		378,35						
188	24	10	8,20		196,80						
189	55	10	10,55		580,25						
190	11	10	8,35		91,85						
191	57	10	12,00		684,00						
192	93	10	9,85		916,05						
193	93	10	11,00		1023,00						
194	199	10	3,00		597,00						

POZ.	ILOŚĆ	Ø	DŁUGOŚĆ	ŚREDNICA PRĘTA W [mm] / DŁUGOŚĆ CAŁK. W [m]							
					8	10	12	14	16	20	25
195	199	10	11,35			2258,65					
196	36	10	9,85			354,60					
197	3423	12	1,05				3594,15				
198	194	12	1,00				194,00				
199				!							
200				!							
201	32	14	2,05					65,60			
202	65	8	1,57		102,05						
203				!							
204				!							
209				!							
210	44	16	3,68						161,92		
211	3	12	3,00				9,00				
212	21	8	1,87		39,27						
213	150	8	2,20		330,00						
214				!							
215	25	8	2,00		50,00						
216	35	10	2,40			84,00					
217	35	10	1,80			63,00					
218	15	10	1,47			22,05					
219	221	8	2,20		486,20						
220	117	8	1,55		181,35						
221	117	8	1,85		216,45						
222				!							
223				!							
224	63	10	2,50			157,50					
225	32	12	2,20				70,40				
226	4	12	2,25				9,00				
227	53	8	3,20		169,60						
228	14	8	2,40		33,60						
229	16	8	2,75		44,00						
230	45	8	2,90		130,50						
231	47	8	1,70		79,90						
232	25	8	1,60		40,00						
233	34	8	1,40		47,60						
234	23	8	1,72		39,56						
235	47	8	1,47		69,09						
236	18	8	1,60		28,80						
237	26	8	1,40		36,40						
238	25	10	2,20			55,00					
239	42	10	2,45			102,90					
240	195	12	1,35				263,25				
241	297	12	1,40				415,80				
242	318	12	1,20				381,60				
243	58	12	2,00				116,00				
244				!							
245	144	12	1,65				237,60				
246	38	12	2,65				100,70				
247	12	12	2,00				24,00				
248				!							

POZ.	ILOŚĆ	Ø	DŁUGOŚĆ	ŚREDNICA PRĘTA W [mm] / DŁUGOŚĆ CAŁK. W [m]							
					8	10	12	14	16	20	25
249				!							
250	28	12	2,30				64,40				
251	14	12	2,25				31,50				
252	8	12	2,30				18,40				
253	8	12	2,15				17,20				
254				!							
255	8	16	2,40						19,20		
256				!							
258				!							
259	18	12	1,95				35,10				
260				!							
261				!							
262	2	12	1,60				3,20				
263				!							
264	10	12	2,20				22,00				
265				!							
266	8	12	3,00				24,00				
267	20	12	2,60				52,00				
268	4	12	2,20				8,80				
269	2	12	2,05				4,10				
270	4	12	2,30				9,20				
271	4	12	2,65				10,60				
272	8	12	4,10				32,80				
273				!							
274	4	16	2,40						9,60		
275	48	12	2,25				108,00				
276				!							
277				!							
278	8	12	4,10				32,80				
279	12	12	2,45				29,40				
280	8	12	2,55				20,40				
281				!							
282				!							
283	12	12	1,65				19,80				
284	4	12	2,05				8,20				
285				!							
286				!							
287	20	12	2,75				55,00				
288	10	12	5,00				50,00				
289				!							
290				!							
291	8	16	2,90						23,20		
292				!							
311				!							
312	96	12	2,00				192,00				
313	8	12	1,60				12,80				
314	8	12	4,25				34,00				
315	4	12	3,25				13,00				
316	20	10	1,05			21,00					
317	65	10	1,05			68,25					

POZ.	ILOŚĆ	Ø	DŁUGOŚĆ	ŚREDNICA PRĘTA W [mm] / DŁUGOŚĆ CAŁK. W [m]							
[-]	[szt.]	[mm]	[m]		8	10	12	14	16	20	25
318	81	10	12,00			972,00					
319	434	14	1,60					694,40			
320	868	14	1,75					1519,00			
321	261	8	0,30		78,30						
322	80	8	1,20		96,00						
323	24	8	0,21		5,04						
324	14	12	3,70				51,80				
325	14	12	2,80				39,20				
326	34	12	2,80				95,20				
327	14	12	3,70				51,80				
328	14	12	2,80				39,20				
329	34	12	2,80				95,20				
330				!							
331	2	12	2,15				4,30				
DŁUGOŚĆ CAŁK. W [m]					5645,38	38966,65	11131,55	2279,00	1953,92	0,00	0,00
CIĘŻAR JEDN. W [kg/mb]					0,395	0,617	0,888	1,210	1,580	2,470	3,850
CIĘŻAR W [kg]					2229,93	24042,42	9884,82	2757,59	3087,19	0,00	0,00

SUMA DŁUGOŚCI  
CIĘŻAR CAŁKOWITY

59 976,50 [m]  
42 001,95 [kg]